


**Abrasive mop disc
CMT 726**


Professional abrasive mop disc with rapid action system for applications with high material consumption or frequent changes of grits, perfectly suited for grinding of surfaces and edges on steel, stainless steel and high-alloy steels

Available grits:

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Applications:

Steel	●
Stainless steel	●



Design	Convex
Bonding agent	Resin
Grain	Alumina zirconia
Backing plate	Plastic, glass-fibre reinforced

Diameter in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
125	40	80 m/s	12,200 rpm	10	252877	8,62 AUD	10	075119
125	60	80 m/s	12,200 rpm	10	252878	8,62 AUD	10	075126
125	80	80 m/s	12,200 rpm	10	252879	8,62 AUD	10	075133
125	120	80 m/s	12,200 rpm	10	252880	8,62 AUD	10	075140

**Mounting plate
CMT 555**


Mounting plate for abrasive mop disc CMT made of sturdy diecasting, more than a thousand times reusable if used properly



For diameter (CMT) in mm	Max. operating speed	Max. RPM	Material	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
125 x 22	80 m/s	12,200 rpm	Zinc die-casting	1	252885	9,27 AUD	14	075195

Abrasive mop disc

SMT 624



Abrasive mop disc for professional applications on steel and stainless steel, flaps with aggressive alumina zirconia, convex design, for edge grinding



Available grits:

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Applications:

Stainless steel	●
Steel	●

Design	Convex 12°
Bonding agent	Resin
Grain	Alumina zirconia
Backing plate	Glass fibre

Diameter x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
100 x 16	36	80 m/s	15,300 rpm	10	224469	8,22 AUD	10	049257
100 x 16	40	80 m/s	15,300 rpm	10	224470	8,22 AUD	10	049264
100 x 16	60	80 m/s	15,300 rpm	10	224472	8,22 AUD	10	049288
100 x 16	80	80 m/s	15,300 rpm	10	224473	8,22 AUD	10	049295
100 x 16	120	80 m/s	15,300 rpm	10	224474	8,22 AUD	10	049301
115 x 22,23	36	80 m/s	13,300 rpm	10	221180	8,53 AUD	10	045976
115 x 22,23	40	80 m/s	13,300 rpm	10	221181	8,53 AUD	10	045990
115 x 22,23	60	80 m/s	13,300 rpm	10	221183	8,53 AUD	10	046027
115 x 22,23	80	80 m/s	13,300 rpm	10	221184	8,53 AUD	10	046034
115 x 22,23	120	80 m/s	13,300 rpm	10	221185	8,53 AUD	10	046041
125 x 22,23	36	80 m/s	12,200 rpm	10	222106	10,04 AUD	10	046713
125 x 22,23	40	80 m/s	12,200 rpm	10	222107	10,04 AUD	10	046720
125 x 22,23	60	80 m/s	12,200 rpm	10	222109	10,04 AUD	10	046768
125 x 22,23	80	80 m/s	12,200 rpm	10	222110	10,04 AUD	10	046775
125 x 22,23	120	80 m/s	12,200 rpm	10	222111	10,04 AUD	10	046799
180 x 22,23	36	80 m/s	8,500 rpm	10	224480	19,76 AUD	10	049318
180 x 22,23	40	80 m/s	8,500 rpm	10	224481	19,76 AUD	10	049325
180 x 22,23	60	80 m/s	8,500 rpm	10	224483	19,76 AUD	10	049349
180 x 22,23	80	80 m/s	8,500 rpm	10	224484	19,76 AUD	10	049356
180 x 22,23	120	80 m/s	8,500 rpm	10	224485	19,76 AUD	10	049363

Abrasive mop disc

Abrasive mop disc SMT 628



Abrasive mop disc for high-performance applications on steel and stainless steel, flaps with aggressive alumina zirconia, flat design especially suited for surface grinding

Available grits:

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Applications:


Stainless steel	●
Steel	●



Design	Flat
Bonding agent	Resin
Grain	Alumina zirconia
Backing plate	Glass fibre

Diameter x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
115 x 22,23	50	80 m/s	13,300 rpm	10	134435	9,24 AUD	10	011698
180 x 22,23	50	80 m/s	8,500 rpm	10	139848	20,80 AUD	10	012053

Abrasive mop disc SMT 656



Abrasive mop disc for high demands especially for edge grinding and working on welded seams

Available grits:

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Applications:

Steel	●
Stainless steel	●



Design	Convex
Bonding agent	Resin
Grain	Alumina zirconia
Backing plate	Glass fibre

Diameter x Bore in mm	Grit	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
125 x 22,23	40	80 m/s	12,200 rpm	10	279962	13,69 AUD	10	107865
125 x 22,23	60	80 m/s	12,200 rpm	10	279963	13,69 AUD	10	107872
125 x 22,23	80	80 m/s	12,200 rpm	10	279964	13,69 AUD	10	107889

Abrasive mop disc SMT 800



High quality non-woven web abrasive mop disc for finishing work. Depending on the degree of hardness also suited for cleaning and light de-burring work and the processing of TIG-welded seams on stainless steel

Applications:

Stainless steel	●
-----------------	---



Design	Convex
Bonding agent	Resin
Backing plate	Glass fibre

Diameter x Bore in mm	Grade	Colour	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
125 x 22,23	coarse	brown	80 m/s	12,200 rpm	5	278498	22,14 AUD	10	105847
125 x 22,23	medium	maroon	80 m/s	12,200 rpm	5	278499	22,14 AUD	10	105854
125 x 22,23	very fine	blue	80 m/s	12,200 rpm	5	278500	22,14 AUD	10	105861

Cleaning wheel NCD 200




High edge strength and cleaning power, especially suited for removing of oxide films, paint and varnishes

Applications:

Metal	●
Paint/Varnish/Filler	●
Plastic	●
Stainless steel	○



Design	
Flat	
Bonding agent	
Resin	

Diameter x Bore in mm	Form	Grain	Max. RPM	Packing unit/pcs.	Cat. number	Price AUD	Discount group	EAN (4014855)
125 x 22,23		SiC	9,800 rpm	5	259044	23,45 AUD	9	090471